

Deutz Genset										
Genset Model	Main power (main use)		Standby power (standby)		Power(A)	Power(A)	Net Weight (kg)	Dimensions L*W*H(m)	Engine Type	Brand
	KW	KVA	KW	KVA						
180GF	180	225	200	250	324	360	2320	3.0*1.4*2.1	BF6M1015-LAGA	Huachai DEUTZ
200GF	200	250	220	275	360	396	2320	3.0*1.4*2.1	BF6M1015C-LAG1A	
220GF	220	275	250	312.5	396	450	2510	3.0*1.4*2.1	BF6M1015C-LAG2A	
250GF	250	312.5	280	350	450	504	2520	3.0*1.4*2.1	BF6M1015C-LAG3A	
280GF	280	350	300	375	504	540	2610	3.0*1.4*2.1	BF6M1015C-LAG4	
300GF	300	375	330	412.5	540	594	2595	3.0*1.4*2.1	BF3M1015CP-LAG	
350GF	350	437.5	380	475	630	684	3300	3.3*1.44*2*2.16	BF8M1015C-LAG1A	
360GF	360	450	420	525	648	756	3300	3.3*1.44*2*2.16	BF8M1015C-LAG2	
380GF	380	475	420	525	684	756	3300	3.3*1.44*2*2.16	BF8M1015CP-LAG1A	
400GF	400	500	440	550	720	792	3300	3.3*1.44*2*2.16	BF8M1015CP-LAG2	
410GF	410	512.5	450	562.5	738	810	3300	3.3*1.44*2*2.16	BF8M1015CP-LAG3	
430GF	430	537.5	470	587.5	774	846	3630	3.3*1.44*2*2.16	BF8M1015CP-LAG4	
450GF	450	562.5	480	600	810	864	3630	3.3*1.44*2*2.16	BF8M1015CP-LAG5	
550GF	550	687.5	600	750	990	1080	4000	3.5*1.6*2.3	HC12V132ZL-LAG1A	
600GF	600	750	660	825	1080	1188	4200	3.5*1.6*2.3	HC12V132ZL-LAG2A	

Engine									
Power (KW)	Power (KW)	No Of Cylinders	Bore/Strokes (mm)	Exhaust Capacity (L)	Compression Ratio	Lubricating Capacity (L)	Fuel Consumption (G/kw.h)	Type Of Governor	Liquid cooling capacity (L)
208	231	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
228	250	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
256	285	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
282	314	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
310	345	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
328	365	6	132*145	11.906	16.5:1	38	196	Electronic speed control	17
388	418	8	132*145	15.874	16.5:1	48	196	Electronic speed control	21
388	418	8	132*145	15.874	16.5:1	48	196	Electronic speed control	21
413	459	8	132*145	15.874	16.5:1	48	196	Electronic speed control	21
448	490	8	132*145	15.874	16.5:1	48	196	Electronic speed control	21

458	509	8	132*145	15.874	16.5:1	48	196	Electronic speed control	21
480	530	8	132*145	15.874	16.5:1	48	196	Electronic speed control	30
509	560	8	132*145	15.874	16.5:1	48	196	Electronic speed control	30
600	370	12	132*145	23.812	16.5:1	54	197	Electronic speed control	30
666	740	12	132*145	23.812	16.5:1	54	197	Electronic speed control	30